


Reasons:

- R4 Overload (also calculated break)
 R5 False operation
 R6 Failure in protection device or other element
 R7 Outside impacts (animals, trees, fire, avalanches,...)

- R8 Very exceptional conditions (weather, natural disaster, ...)
 R9 Other reasons
 R10 Unknown reasons

| Nbr | Country | Substation | Reason | Energy not supplied [MWh] | Total loss of power [MW] | Restoration time [min] | Equivalent time of interruption ¹ |
|-----|---------|-----------------|--------|-----------------------------|----------------------------|--------------------------|--|
| 1 | DE | Hanekenfähr | R9 | 6456 | 1300 | 298 | 6,07 |
| 2 | DE | Gersteinwerk | R10 | 1082 | 580 | 112 | 1,02 |
| 3 | CZ | Nosovice | R6 | 28 | 372 | 5 | 0,24 |
| 4 | SK | Krizovany | R7 | 9 | 188 | 3 | 0,17 |
| 5 | PL | Morzyce | R10 | 26 | 12 | 130 | 0,10 |
| 6 | DE | Frimmersdorf | R9 | 37 | 130 | 17 | 0,03 |
| 7 | FR | Buttes Chaumont | R9 | 6 | 30 | 12 | 0,01 |
| 8 | FR | Port Jerome | R5 | 4 | 4 | 52 | 0,00 |
| 9 | SI | Bericevo | R10 | 0 | 0 | 111 | 0,00 |

¹ (year [in min] * energy not supplied) / consumption last 12 months




Reasons:

- R4 Overload (also calculated break)
- R5 False operation
- R6 Failure in protection device or other element
- R7 Outside impacts (animals, trees, fire, avalanches,...)

- R8 Very exceptional conditions (weather, natural disaster, ...)
- R9 Other reasons
- R10 Unknown reasons

| Nbr | Country | Substation | Reason | Energy not supplied [MWh] | Total loss of power [MW] | Restoration time [min] | Equivalent time of interruption ¹ |
|-----|---------|-------------|--------|-----------------------------|----------------------------|--------------------------|--|
| 1 | PT | Torro | R7 | 9 | 0 | 6 | 0,09 |
| 2 | IT | Suvereto | R8 | 55 | 200 | 18 | 0,09 |
| 3 | IT | Maddaloni | R8 | 37 | 17 | 130 | 0,06 |
| 4 | FR | Eguzon | R6 | 19 | 18 | 129 | 0,02 |
| 5 | ES | Sanchinarro | R5 | 5 | 0 | 10 | 0,01 |
| 6 | PT | Paramo | R10 | 1 | 0 | 2 | 0,01 |
| 7 | PT | Mogadouro | R10 | 0 | 0 | 4 | 0,01 |
| 8 | ES | Majadahonda | R8 | 2 | 0 | 14 | 0,00 |
| 9 | FR | Fallou | R10 | 2 | 50 | 6 | 0,00 |
| 10 | ES | Caceres | R8 | 1 | 0 | 8 | 0,00 |
| 11 | ES | Aena | R7 | 1 | 0 | 2 | 0,00 |

¹ (year [in min] * energy not supplied) / consumption last 12 months




Reasons:

| | | | |
|----|--|-----|---|
| R4 | Overload (also calculated break) | R8 | Very exceptional conditions (weather, natural disaster, ...) |
| R5 | False operation | R9 | Other reasons |
| R6 | Failure in protection device or other element | R10 | Unknown reasons |
| R7 | Outside impacts (animals, trees, fire, avalanches,...) | | |

| Nbr | Country | Substation | Reason | Energy not supplied [MWh] | Total loss of power [MW] | Restoration time [min] | Equivalent time of interruption ¹ |
|-----|---------|-------------|--------|--------------------------------|-------------------------------|-----------------------------|---|
| 1 | ES | Magallon | R10 | 900 | 0 | 2 | 1,81 |
| 2 | CZ | Krasikov | R6 | 21 | 160 | 8 | 0,18 |
| 3 | IT | Marcaria | R6 | 105 | 10 | 636 | 0,16 |
| 4 | FR | St.Avold | R9 | 123 | 143 | 56 | 0,14 |
| 5 | FR | Allinges | R6 | 117 | 79 | 90 | 0,13 |
| 6 | CZ | Cechy Stred | R5 | 10 | 35 | 17 | 0,08 |
| 7 | FR | Halles | R5 | 10 | 111 | 8 | 0,01 |
| 8 | FR | Nanterre | R6 | 6 | 100 | 7 | 0,01 |
| 9 | FR | Loges | R6 | 5 | 15 | 20 | 0,01 |
| 10 | ES | Oncala | R10 | 0 | 900 | 12 | 0,00 |

¹ (year [in min] * energy not supplied) / consumption last 12 months




Reasons:

- | | |
|----|--|
| R4 | Overload (also calculated break) |
| R5 | False operation |
| R6 | Failure in protection device or other element |
| R7 | Outside impacts (animals, trees, fire, avalanches,...) |

- | | |
|-----|---|
| R8 | Very exceptional conditions (weather, natural disaster, ...) |
| R9 | Other reasons |
| R10 | Unknown reasons |

| Nbr | Country | Substation | Reason | Energy not supplied [MWh] | Total loss of power [MW] | Restoration time [min] | Equivalent time of interruption ¹ |
|-----|---------|-------------------|--------|--------------------------------|-------------------------------|-----------------------------|---|
| 1 | CZ | Bezdecin | R6 | 68 | 150 | 27 | 0,56 |
| 2 | IT | Maddaloni | R6 | 309 | 23 | 1026 | 0,48 |
| 3 | SK | Sp. N. Ves | R9 | 5 | 95 | 3 | 0,09 |
| 4 | FR | Issel | R6 | 54 | 58 | 55 | 0,06 |
| 5 | PT | Subestao do Ferro | R9 | 2 | 0 | 3 | 0,02 |
| 6 | FR | Montguyon | R6 | 18 | 33 | 33 | 0,02 |
| 7 | FR | Givors | R9 | 9 | 21 | 25 | 0,01 |
| 8 | FR | Mezerolles | R8 | 4 | 44 | 6 | 0,005 |
| 9 | ES | La Plana | R10 | 1 | 0 | 3 | 0,001 |

¹ (year [in min] * energy not supplied) / consumption last 12 months




Reasons:

| | | | |
|----|--|-----|---|
| R4 | Overload (also calculated break) | R8 | Very exceptional conditions (weather, natural disaster, ...) |
| R5 | False operation | R9 | Other reasons |
| R6 | Failure in protection device or other element | R10 | Unknown reasons |
| R7 | Outside impacts (animals, trees, fire, avalanches,...) | | |

| Nbr | Country | Substation | Reason | Energy not supplied [MWh] | Total loss of power [MW] | Restoration time [min] | Equivalent time of interruption ¹ |
|-----|---------|-------------|--------|--------------------------------|-------------------------------|-----------------------------|---|
| 1 | HU | Sajszged | R9 | 145 | 220 | 39 | 1,88 |
| 2 | SK | Sucany | R7 | 42 | 86 | 29 | 0,81 |
| 3 | SK | Varin | R9 | 22 | 30 | 43 | 0,43 |
| 4 | FR | Grosne | R10 | 199 | 62 | 194 | 0,22 |
| 5 | SK | Moldava | R9 | 6 | 87 | 4 | 0,11 |
| 6 | FR | Colayac | R5 | 94 | 141 | 40 | 0,11 |
| 7 | SK | Sp. N. Ves | R7 | 4 | 20 | 13 | 0,08 |
| 8 | FR | La Corbiere | R6 | 57 | 37 | 92 | 0,06 |
| 9 | FR | Commerveil | R5 | 13 | 70 | 11 | 0,01 |
| 10 | FR | Guengnon | R10 | 10 | 73 | 8 | 0,01 |

¹ (year [in min] * energy not supplied) / consumption last 12 months




Reasons:

- | | |
|----|--|
| R4 | Overload (also calculated break) |
| R5 | False operation |
| R6 | Failure in protection device or other element |
| R7 | Outside impacts (animals, trees, fire, avalanches,...) |

- | | |
|-----|--|
| R8 | Very exceptional conditions (weather, natural disaster, ...) |
| R9 | Other reasons |
| R10 | Unknown reasons |

| Nbr | Country | Substation | Reason | Energy not supplied [MWh] | Total loss of power [MW] | Restoration time [min] | Equivalent time of interruption ¹ |
|-----|---------|---------------|--------|-----------------------------|----------------------------|--------------------------|--|
| 1 | GR | Thessaloniki | R6 | 750 | 830 | 30 | 7,25 |
| 2 | GR | Koumoundourou | R7 | 512 | 980 | 15 | 4,95 |
| 3 | CZ | Tynec | R4 | 240 | 32 | 8 | 2,00 |
| 4 | CZ | Krasikov | R6 | 130 | 217 | 10 | 1,08 |
| 5 | SK | Sucany | R7 | 40 | 84 | 29 | 0,79 |
| 6 | IT | Partinico | R7 | 385 | 360 | 65 | 0,60 |
| 7 | IT | Caracoli | R7 | 359 | 230 | 96 | 0,56 |
| 8 | ES | Mudarra | R10 | 1 | 0 | 70 | 0,002 |
| 9 | ES | San Agustin | R10 | 1 | 0 | 75 | 0,002 |

¹ (year [in min] * energy not supplied) / consumption last 12 months




Reasons:

| | | | |
|----|--|-----|---|
| R4 | Overload (also calculated break) | R8 | Very exceptional conditions (weather, natural disaster, ...) |
| R5 | False operation | R9 | Other reasons |
| R6 | Failure in protection device or other element | R10 | Unknown reasons |
| R7 | Outside impacts (animals, trees, fire, avalanches,...) | | |

| Nbr | Country | Substation | Reason | Energy not supplied [MWh] | Total loss of power [MW] | Restoration time [min] | Equivalent time of interruption ¹ |
|-----|---------|-------------|--------|--------------------------------|-------------------------------|--------------------------|---|
| 1 | CZ | Cechy Stred | R6 | 230 | 1342 | 35 | 1,91 |
| 2 | CZ | Sokolnice | R6 | 80 | 8 | 6 | 0,66 |
| 3 | CZ | Slavetice | R6 | 43 | 29 | 4 | 0,36 |
| 4 | FR | Les Arpents | R10 | 64 | 42 | 92 | 0,07 |
| 5 | PT | Custoias | R9 | 6 | 0 | 4 | 0,06 |
| 6 | FR | Ampere | R6 | 21 | 31 | 40 | 0,02 |
| 7 | LU | Roost | R10 | 0 | 29 | 2 | 0,02 |

¹ (year [in min] * energy not supplied) / consumption last 12 months




Reasons:

- R4 Overload (also calculated break)
 R5 False operation
 R6 Failure in protection device or other element
 R7 Outside impacts (animals, trees, fire, avalanches,...)

- R8 Very exceptional conditions (weather, natural disaster, ...)
 R9 Other reasons
 R10 Unknown reasons

| Nbr | Country | Substation | Reason | Energy not supplied [MWh] | Total loss of power [MW] | Restoration time [min] | Equivalent time of interruption ¹ |
|-----|---------|-------------|--------|-----------------------------|----------------------------|--------------------------|--|
| 1 | ES | Vitoria | R6 | 21 | 0 | 12 | 0,04 |
| 2 | FR | Villejust | R6 | 20 | 62 | 20 | 0,02 |
| 3 | FR | Pariset | R6 | 9 | 42 | 13 | 0,01 |
| 4 | FR | Cergy | R6 | 2 | 23 | 4 | 0,002 |
| 5 | FR | Malintrat | R7 | 2 | 3 | 30 | 0,002 |
| 6 | ES | Cinca | R10 | 1 | 0 | 8 | 0,002 |
| 7 | ES | San Agustin | R8 | 1 | 0 | 12 | 0,002 |
| 8 | PL | Mikulowa | R7 | 0 | 668 | 244 | 0,000 |

¹ (year [in min] * energy not supplied) / consumption last 12 months




Reasons:

| | | | |
|----|--|-----|---|
| R4 | Overload (also calculated break) | R8 | Very exceptional conditions (weather, natural disaster, ...) |
| R5 | False operation | R9 | Other reasons |
| R6 | Failure in protection device or other element | R10 | Unknown reasons |
| R7 | Outside impacts (animals, trees, fire, avalanches,...) | | |

| Nbr | Country | Substation | Reason | Energy not supplied [MWh] | Total loss of power [MW] | Restoration time [min] | Equivalent time of interruption ¹ |
|-----|---------|------------|--------|--------------------------------|-------------------------------|--------------------------|---|
| 1 | CZ | Otrokovice | R4 | 289 | 29 | 6 | 2,39 |
| 2 | CZ | Cebin | R4 | 105 | 9 | 5 | 0,87 |
| 3 | ES | Hospitalet | R5 | 16 | 0 | 15 | 0,03 |
| 4 | FR | Vendin | R5 | 4 | 41 | 6 | 0,004 |
| 5 | PL | Mikulowa | R5 | 0 | 246 | 19 | 0,00 |

¹ (year [in min] * energy not supplied) / consumption last 12 months




Reasons:

| | | | |
|----|--|-----|---|
| R4 | Overload (also calculated break) | R8 | Very exceptional conditions (weather, natural disaster, ...) |
| R5 | False operation | R9 | Other reasons |
| R6 | Failure in protection device or other element | R10 | Unknown reasons |
| R7 | Outside impacts (animals, trees, fire, avalanches,...) | | |

| Nbr | Country | Substation | Reason | Energy not supplied [MWh] | Total loss of power [MW] | Restoration time [min] | Equivalent time of interruption ¹ |
|-----|---------|-----------------|--------|--------------------------------|-------------------------------|--------------------------|---|
| 1 | SK | Sucany | R9 | 25 | 135 | 11 | 0,48 |
| 2 | CZ | Otrokovicce | R9 | 21 | 206 | 6 | 0,17 |
| 3 | CZ | Chotejovice | R4 | 3 | 17 | 10 | 0,02 |
| 4 | FR | Marmagne | R6 | 11 | 28 | 23 | 0,01 |
| 5 | FR | Buttes Chaumont | R9 | 4 | 46 | 5 | 0,004 |
| 6 | PL | Patnow | R5 | 0 | 302 | 78 | 0,00 |
| 7 | PL | Krajnik | R6 | 0 | 150 | 50 | 0,00 |
| 8 | PL | Krajnik | R6 | 0 | 113 | 43 | 0,00 |

¹ (year [in min] * energy not supplied) / consumption last 12 months




Reasons:

| | | | |
|----|--|-----|---|
| R4 | Overload (also calculated break) | R8 | Very exceptional conditions (weather, natural disaster, ...) |
| R5 | False operation | R9 | Other reasons |
| R6 | Failure in protection device or other element | R10 | Unknown reasons |
| R7 | Outside impacts (animals, trees, fire, avalanches,...) | | |

| Nbr | Country | Substation | Reason | Energy not supplied [MWh] | Total loss of power [MW] | Restoration time [min] | Equivalent time of interruption ¹ |
|-----|---------|------------|--------|--------------------------------|-------------------------------|--------------------------|---|
| 1 | FR | Grezillac | R6 | 10 | 16 | 37 | 0,01 |
| 2 | FR | Riddes | R8 | 6 | 12 | 32 | 0,01 |
| 3 | FR | Carrières | R5 | 2 | 25 | 4 | 0,002 |
| 4 | PL | Patnow | R9 | 0 | 362 | 1 | 0,00 |

¹ (year [in min] * energy not supplied) / consumption last 12 months



Reasons:

| | | | |
|----|--|-----|---|
| R4 | Overload (also calculated break) | R8 | Very exceptional conditions (weather, natural disaster, ...) |
| R5 | False operation | R9 | Other reasons |
| R6 | Failure in protection device or other element | R10 | Unknown reasons |
| R7 | Outside impacts (animals, trees, fire, avalanches,...) | | |

| Nbr | Country | Substation | Reason | Energy not supplied [MWh] | Total loss of power [MW] | Restoration time [min] | Equivalent time of interruption ¹ |
|-----|---------|------------|--------|--------------------------------|-------------------------------|--------------------------|---|
| 1 | FR | Mambelin | R8 | 26 | 3 | 516 | 0,03 |
| 2 | FR | Bonnieres | R7 | 13 | 59 | 13 | 0,01 |
| 3 | FR | Aubette | R9 | 11 | 36 | 19 | 0,01 |
| 4 | FR | Verlhaguet | R6 | 3 | 7 | 30 | 0,00 |
| 5 | FR | Cergy | R6 | 2 | 46 | 3 | 0,00 |
| 6 | SI | Bericevo | R10 | 0 | 0 | 241 | 0,00 |

¹ (year [in min] * energy not supplied) / consumption last 12 months